



Shenyang Sharjah Bearing Co.,Ltd.



0.787 Inch | 20 Millimeter x 2.047 Inch | 52
Millimeter x 0.874 Inch | 22.2 Millimeter NTN
5304CLLUC3 Angular Contact Ball Bearings

Bearing No. 5304CLLUC3

5304CLLUC3 Bearing 2D drawings and 3D CAD
models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.223
EAN	4547359790054
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	25 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 22.2MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



Shenyang Sharjah Bearing Co.,Ltd.

	No Snap Ring; C3-Loose; Steel Cage; 25 Degree; 1 (Single)
Other Features	Nitrile Friction Seal
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	5304CLLUC3
D	2.047 Inch 52 Millimeter
B	0.874 Inch 22.2 Millimeter
d	0.787 Inch 20 Millimeter
bore diameter:	20 mm
radial dynamic load capacity:	24600 N
outside diameter:	52 mm
radial static load capacity:	15000 N
overall width:	0.8750 in
operating temperature range:	-40 to 120 ° C
contact angle:	25 °
cage material:	Steel
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	Class 0
closure type:	Double Seal
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring
weight:	0.223 kg



Shenyang Sharjah Bearing Co.,Ltd.

bearing material:	High Carbon Chrome Steel
manufacturer product page:	Click here